API Connections

help.fracttal.com/hc/en-us/articles/25054474218381-API-Connections

API Connection:

With this Add-on, the person holding the Super Administrator account will be able to create the keys for accessing and using information from the APIs. In other words, this option allows you to obtain the API Key and API Secret for your contracted base in Fractal.

Settings			Old Version 🕤 🧯 🐨 🝠	RC ~
Fracttal Demo				Save
Details		(?) OAUTH CONSUMERS	APP AUTHORIZATIONS	
General Quser Accounts	Connection keys for Fracttal API Deprecated authentication method, we invit	e you to use 0Auth2		
Business Calendar	_ API Key			
ModulesFinancial	N9iepLJim81c609vehB6		හි	
Auxiliary Catalogs	 View API Secret 			
 Document Management Transactions Log 	 Only Super Admin can access to API Secret 			
G Security				
Connections				
Guest Portal				
с С				

OAuth Consumers: OAuth Consumers are a feature used in FRACTTAL API that is based on the OAuth 2.0 authentication protocol. This protocol provides a secure and widely recognized form of authentication and authorization in web and mobile applications.

OAuth Consumers are used to allow third-party applications to obtain authorization and access protected resources in the system. This is especially useful when we want to integrate external services or applications that require access to certain data or functions from our users into FRACTTAL.

Settings			Old Version 🕤	🗯 🐮 🖋 🛛 RC -
Fracttal Demo				Save
Details	C API CONNECTION		OAUTH CONSUMERS	APP AUTHORIZATIONS
Q User Accounts	Name	Key	Secret	Grant type
j≘ Modules	prueba	NIjObGI7Xcja5hg77d ohLhjJBAiP4Zsnbxld	1ryT98TUqloSH6OJWPGMBYIS3OTIjouB w4PdawPC4IwXJGta4vDuzq9suya0Nsmq	Client credentials
 Financial Auxiliary Catalogs 	Token Test	6Z8a538MXHpYVUJogp	4awauxrAkBsY6j0Rn1xNLI5tYYCZ77Qo	Client credentials
Document Management				
3 Transactions Log				
G SecurityAPI Connections				
Guest Portal				
Account	Showing 3 of 3			+

Authorization Code: This type of authorization is used when the application needs to access protected resources on behalf of a specific user. When an application with Authorization Code attempts to access protected resources, it redirects the user to an authorization page in FRACTTAL API. Here, the user must authenticate and give consent to allow the application to access their resources. Once the user has given consent, the application receives an "authorization code" which is then exchanged for an "access token". This access token allows the application to make requests on behalf of the user without requiring the user to authenticate on each request.

Settings					
Fracttal Demo			>	Grant type Authorization code	•
Details	Ø API CONNECTION	• TUAO		Name Name no puede estar en blanco	
User Accounts	Name	Key	Sec	Description	
śΞ Modules	prueba	NIjObGI7Xcja5hg77d	1r:	Callback URL	
(8) Financial	pruaba2	ohLhjJBAiP4Zsnbxld	W2	Callback URL no puede estar en blanco	
Auxiliary Catalogs	Token Test	6Z8a538MXHpYVUJogp	4a	URL	
Document Management Iransactions Log				Privacy policy URL	
G Security				End user license agreement URL	
C API Connections			ſ	Group Permissions No permission selected	~
Guest Portal			L	Credentials:	
Account				Creation Date	
	Showing 4 of 4				

Client Credentials: This type of authorization is best suited for applications or services that need to access resources without direct user intervention. When configuring an OAuth Consumer with Client Credentials, access keys (key and secret) are generated for the application. These keys allow the application to obtain an "access token" without requiring user authentication on each request. This is useful for cases where the application needs to perform actions or access information in the system in an automated way, such as in background tasks or periodic processes.

Settings					0
Fracttal Demo			_>	Grant type Authorization code	•
Details			OAUTH CONSU	Name Name no puede estar en blanco	
Q User Accounts Business Calendar		Key	Sec	Description	
5∰ Modules	prueba	NIjObGI7Xcja5hg77d	1r	Callback URL	
 Financial Auxiliary Catalogs 	pruaba2	ohLhjJBAiP4Zsnbxld 6Z8a538MXHpYVUJogp	w4	Caliback URL no puede estar en blanco	
Document Management		6288538МАНРТ VUJO9р	48	Privacy policy URL	
 Transactions Log Security 				End user license agreement URL	
API Connections			ſ	Group Permissions	
Guest Portal Account				No permission selected Credentials :	~
	Showing 4 of 4			Creation Date	

Application authorization: This is essential to ensure users' security and privacy, as it allows them to have control over the data and resources that the third-party application can access on their behalf. In addition, these authorizations can be revoked at any time, providing users with an additional level of control and protection over their data.

Settings					Old	/ersion 🕤	÷ = *	RC ~
Fracttal Demo								Save
Details		Ø		OAUTH COI				
🞧 General			API CONNECTION	0A0111C0	NJOWENJ		APP AUTHORIZATIONS) = :
Ser Acc	punts	Name	Description	Last accessed	Grant type			
Business		prueba		L	Client credentials			
⋚⊒ Modules		pruaba2			Client credentials			
) Financial		Token Test 2024-03-06T18:01:54.76308 Client credentials						
Auxiliary	Catalogs							
E Documer	t Management							
8 Transact	ons Log							
G Security								
🌀 🛛 API Conr	ections							
Guest Po	rtal							
Account								
		Showing 3 of	3					